



# ASPIRANE

*A New Gen Education System*

## NEET - 2024

Test Booklet Code

**T1**

**DURATION: 200 Minutes**

**M.MARKS: 720**

### GENERAL INSTRUCTIONS:

1. Immediately fill in the particulars on this page of the test booklet.
2. The test is of **3 hours** duration and the Test Booklet contains **200** multiple choice questions (four options with a single correct answer).
3. There is only one correct response for each question.
4. Each **correct** answer will give **4 Mark** while **1 Mark** will be **deducted** for a **wrong** answer. The maximum marks are 720.
5. No student is allowed to carry any textual material, printed or written, bits of papers, pager, mobile phone, any electronic device, etc. inside the examination room/hall.
6. On completion of the test, the candidate must hand over the Answer Sheet to the Invigilator on duty in the Room/Hall. However, the candidates are allowed to take away this Test Booklet with them.

### OMR INSTRUCTIONS:

1. Use only blue/black dark ballpoint pen.
2. Darken the bubbles completely. Don't put a tick mark or a cross mark where it is specified that you fill the bubbles completely. Half-filled or over-filled bubbles will not be read by the software.
3. Never use pencils to mark your answers.
4. Never use whiteners to rectify filling errors as they may disrupt the scanning and evaluation process.
5. Writing on the OMR Sheet is permitted on the specified area only and even small marks other than the specified area may create problems during the evaluation.
6. Multiple markings will be treated as invalid responses.
7. **Do not fold or make any stray mark on the Answer Sheet (OMR).**


**Name of the Student (In CAPITALS):** \_\_\_\_\_

**Roll Number:** \_\_\_\_\_

**OMR Bar Code Number:** \_\_\_\_\_


**Student's Signature:** \_\_\_\_\_ **Invigilator's Signature** \_\_\_\_\_

1. A wheel of a bullock cart is rolling on a level road as shown in the figure below. If its linear speed is  $v$  in the direction shown, which one of the following options is **correct** ( $P$  and  $Q$  are any highest and lowest points on the wheel, respectively)?



- (1) Both the points  $P$  and  $Q$  move with equal speed.
- (2) Point  $P$  has zero speed.
- (3) Point  $P$  moves slower than point  $Q$ .
- (4) Point  $P$  moves faster than point  $Q$ .


2.



In the above diagram, a strong bar magnet is moving towards solenoid-2 from solenoid-1. The direction of induced current in solenoid-1 and that in solenoid-2, respectively, are through the directions:

- (1)  $AB$  and  $CD$
- (2)  $BA$  and  $DC$
- (3)  $AB$  and  $DC$
- (4)  $BA$  and  $CD$

3. Consider the following statements A and B and identify the **correct** answer:




- A. For a solar-cell, the I-V characteristics lies in the IV quadrant of the given graph.
  - B. In a reverse biased  $pn$  junction diode, the current measured in ( $\mu A$ ), is due to majority charge carriers.
- (1) Both A and B are correct.
  - (2) Both A and B are incorrect.
  - (3) A is correct but B is incorrect.
  - (4) A is incorrect but B is correct.

4. A wire of length ' $l$ ' and resistance  $100\Omega$  is divided into 10 equal parts. The first 5 parts are connected in series while the next 5 parts are connected in parallel. The two combinations are again connected in series. The resistance of this final combination is:


- (1)  $55\Omega$
- (2)  $60\Omega$
- (3)  $26\Omega$
- (4)  $52\Omega$

5. In the following circuit, the equivalent capacitance between terminal  $A$  and terminal  $B$  is:




- (1)  $0.5\mu F$
- (2)  $4\mu F$
- (3)  $2\mu F$
- (4)  $1\mu F$

6. The output ( $Y$ ) of the given logic gate is similar to the output of an/a :



- (1) OR gate
- (2) AND gate
- (3) NAND gate
- (4) NOR gate

7. The terminal voltage of the battery, whose emf is  $10V$  and internal resistance  $1\Omega$ , when connected through an external resistance of  $4\Omega$  as shown in the figure is:




- (1)  $8V$
- (2)  $10V$
- (3)  $4V$
- (4)  $6V$

8. The mass of a planet is  $\frac{1}{10}$  th that of the earth and its diameter is half that of the earth. The acceleration due to gravity on that planet is:

- (1)  $4.9 m s^{-2}$
- (2)  $3.92 m s^{-2}$
- (3)  $19.6 m s^{-2}$
- (4)  $9.8 m s^{-2}$

9. In a uniform magnetic field of  $0.049 T$ , a magnetic needle performs 20 complete oscillations in 5 seconds as shown. The moment of inertia of the needle is  $9.8 \times 10^{-6} kg m^2$ . If the magnitude of magnetic moment of the needle is  $x \times 10^{-5} Am^2$ ; then the value of ' $x$ ' is :



- (1)  $50\pi^2$
- (2)  $1280\pi^2$
- (3)  $5\pi^2$
- (4)  $128\pi^2$

10. If  $c$  is the velocity of light in free space, the correct statements about photon among the following are:

- A. The energy of a photon is  $E = h\nu$ .  
 B. The velocity of a photon is  $c$ .  
 C. The momentum of a photon,  $p = \frac{h\nu}{c}$ .  
 D. In a photon-electron collision, both total energy and total momentum are conserved.  
 E. Photon possesses positive charge.

Choose the **correct** answer from the options given below:

- (1) A, C and D only  
 (2) A, B, D and E only  
 (3) A and B only  
 (4) A, B, C and D only

11. The maximum elongation of a steel wire of 1 m length if the elastic limit of steel and its Young's modulus, respectively, are  $8 \times 10^8 \text{ N m}^{-2}$  and  $2 \times 10^{11} \text{ N m}^{-2}$ , is :

- (1) 40 mm (2) 8 mm  
 (3) 4 mm (4) 0.4 mm

12. A logic circuit provides the output  $Y$  as per the following truth table:

| $A$ | $B$ | $Y$ |
|-----|-----|-----|
| 0   | 0   | 1   |
| 0   | 1   | 0   |
| 1   | 0   | 1   |
| 1   | 1   | 0   |

The expression for the output  $Y$  is :

- (1)  $\bar{B}$  (2)  $B$   
 (3)  $A \cdot B + \bar{A}$  (4)  $A \cdot \bar{B} + \bar{A}$

13. The moment of inertia of a thin rod about an axis passing through its mid point and perpendicular to the rod is  $2400 \text{ g cm}^2$ . The length of the 400 g rod is nearly:

- (1) 20.7 cm (2) 72.0 cm  
 (3) 8.5 cm (4) 17.5 cm

14. In a vernier calipers,  $(N+1)$  divisions of vernier scale coincide with  $N$  divisions of main scale. If 1 MSD represents 0.1 mm, the vernier constant (in cm) is:

- (1) 100 N  
 (2)  $10(N+1)$   
 (3)  $\frac{1}{10N}$   
 (4)  $\frac{1}{100(N+1)}$

15. Match List-I with List-II.

| List-I<br>(Spectral Lines of Hydrogen for transitions from) |                        | List-II<br>(Wavelengths (nm)) |       |
|-------------------------------------------------------------|------------------------|-------------------------------|-------|
| (A)                                                         | $n_2 = 3$ to $n_1 = 2$ | (I)                           | 410.2 |
| (B)                                                         | $n_2 = 4$ to $n_1 = 2$ | (II)                          | 434.1 |
| (C)                                                         | $n_2 = 5$ to $n_1 = 2$ | (III)                         | 656.3 |
| (D)                                                         | $n_2 = 6$ to $n_1 = 2$ | (IV)                          | 486.1 |


Choose the **correct** answer from the options given below:

- (1) A-IV, B-III, C-I, D-II  
 (2) A-I, B-II, C-III, D-IV  
 (3) A-II, B-I, C-IV, D-III  
 (4) A-III, B-IV, C-II, D-I

16. If the monochromatic source in Young's double slit experiment is replaced by white light, then

- (1) there will be a central bright white fringe surrounded by a few coloured fringes.  
 (2) all bright fringes will be of equal width.  
 (3) interference pattern will disappear.  
 (4) there will be a central dark fringe surrounded by a few coloured fringes.

17. The graph which shows the variation of  $\left(\frac{1}{\lambda^2}\right)$  and its kinetic energy,  $E$  is (where  $\lambda$  is de Broglie wavelength of a free particle) :



18. Match List-I with List-II.

| List-I<br>(Material) |               | List-II<br>(Susceptibility ( $\chi$ )) |                                               |
|----------------------|---------------|----------------------------------------|-----------------------------------------------|
| (A)                  | Diamagnetic   | (I)                                    | $\chi = 0$                                    |
| (B)                  | Ferromagnetic | (II)                                   | $0 > \chi \geq -1$                            |
| (C)                  | Paramagnetic  | (III)                                  | $\chi \gg 1$                                  |
| (D)                  | Non-magnetic  | (IV)                                   | $0 < \chi < \infty$ (a small positive number) |

Choose the **correct** answer from the options given below:

- (1) A-III, B-II, C-I, D-IV  
 (2) A-IV, B-III, C-II, D-I  
 (3) A-II, B-III, C-IV, D-I  
 (4) A-II, B-I, C-III, D-IV

19. An unpolarised light beam strikes a glass surface at Brewster's angle. Then

- (1) both the reflected and refracted light will be completely polarised.
- (2) the reflected light will be completely polarised but the refracted light will be partially polarised.
- (3) the reflected light will be partially polarised.
- (4) the refracted light will be completely polarised.

20. A particle moving with uniform speed in a circular path maintains:

- (1) constant velocity but varying acceleration.
- (2) varying velocity and varying acceleration.
- (3) constant velocity.
- (4) constant acceleration.

21. The quantities which have the same dimensions as those of solid angle are:

- (1) strain and arc
- (2) angular speed and stress
- (3) strain and angle
- (4) stress and angle


22. A bob is whirled in a horizontal plane by means of a string with an initial speed of  $\omega$  rpm. The tension in the string is  $T$ . If speed becomes  $2\omega$  while keeping the same radius, the tension in the string becomes:

- (1)  $\frac{T}{4}$
- (2)  $\sqrt{2}T$
- (3)  $T$
- (4)  $4T$

23. If  $x = 5\sin\left(\pi t + \frac{\pi}{3}\right)m$  represents the motion of a particle executing simple harmonic motion, the amplitude and time period of motion, respectively, are:

- (1) 5 cm, 1 s
- (2) 5 m, 1 s
- (3) 5 cm, 2 s
- (4) 5 m, 2 s

24. A thermodynamic system is taken through the cycle  $abcda$ . The work done by the gas along the path  $bc$  is :



- (1) -90 J
- (2) -60 J
- (3) zero
- (4) 30 J

25. Given below are two statements:

**Statement I:** Atoms are electrically neutral as they contain equal number of positive and negative charges.

**Statement II:** Atoms of each element are stable and emit their characteristic spectrum.

In the light of the above statements, choose the *most appropriate* answer from the options given below :

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.

26. In an ideal transformer, the turns ratio is  $\frac{N_p}{N_s} = \frac{1}{2}$ .

The ratio  $V_s : V_p$  is equal to (the symbols carry their usual meaning):

- (1) 1:1
- (2) 1:4
- (3) 1:2
- (4) 2:1

27. Two bodies A and B of same mass undergo completely inelastic one dimensional collision. The body A moves with velocity  $v_1$  while body B is at rest before collision. The velocity of the system after collision is  $v_2$ . The ratio  $v_1 : v_2$  is:

- (1) 4:1
- (2) 1:4
- (3) 1:2
- (4) 2:1

28.  ${}^{290}_{82}\text{X} \xrightarrow{\alpha} \text{Y} \xrightarrow{e^+} \text{Z} \xrightarrow{\beta^-} \text{P} \xrightarrow{e^-} \text{Q}$

In the nuclear emission stated above, the mass number and atomic number of the product Q respectively, are:

- (1) 288, 82
- (2) 286, 81
- (3) 280, 81
- (4) 286, 80

29. Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

**Assertion A:** The potential ( $V$ ) at any axial point, at 2 m distance ( $r$ ) from the centre of the dipole of dipole moment vector  $\vec{P}$  of magnitude,  $4 \times 10^{-6} \text{ Cm}$ , is  $\pm 9 \times 10^3 V$ .

(Take  $\frac{1}{4\pi\epsilon_0} = 9 \times 10^9 \text{ SI units}$ )

**Reason R:**  $V = \pm \frac{2P}{4\pi\epsilon_0 r^2}$ , where  $r$  is the


distance of any axial point, situated at 2 m from the centre of the dipole.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) A is true but R is false.
- (2) A is false but R is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true and R is NOT the correct explanation of A.

30. A thin spherical shell is charged by some source. The potential difference between the two points C and P (in V) shown in the figure is:

(Take  $\frac{1}{4\pi\epsilon_0} = 9 \times 10^9 \text{ SI units}$ )




- (1)  $0.5 \times 10^5$
- (2) zero
- (3)  $3 \times 10^5$
- (4)  $1 \times 10^5$

31. A thin flat circular disc of radius 4.5 cm is placed gently over the surface of water. If surface tension of water is  $0.07 \text{ Nm}^{-1}$ , then the excess force required to take it away from the surface is:

- (1) 1.98 mN
- (2) 99 N
- (3) 19.8 mN
- (4) 198 N

32. A light ray enters through a right angled prism at point P with the angle of incidence  $30^\circ$  as shown in figure. It travels through the prism parallel to its base BC and emerges along the face AC. The refractive index of the prism is:



- (1)  $\frac{\sqrt{3}}{4}$
- (2)  $\frac{\sqrt{3}}{2}$
- (3)  $\frac{\sqrt{5}}{4}$
- (4)  $\frac{\sqrt{5}}{2}$


33. At any instant of time  $t$ , the displacement of any particle is given by  $2t - 1$  (SI unit) under the influence of force of 5 N. The value of instantaneous power is (in SI unit):

- (1) 7
- (2) 6
- (3) 10
- (4) 5

34. A tightly wound 100 turns coil of radius 10 cm carries a current of 7 A. The magnitude of the magnetic field at the centre of the coil is (Take permeability of free space as  $4\pi \times 10^{-7} \text{ SI units}$ ):

- (1) 4.4 mT
- (2) 44 T
- (3) 44 mT
- (4) 4.4 T

35. A horizontal force 10 N is applied to a block A as shown in figure. The mass of blocks A and B are 2 kg and 3 kg, respectively. The blocks slide over a frictionless surface. The force exerted by block A on block B is:



- (1) 6 N
- (2) 10 N
- (3) zero
- (4) 4 N

36. A small telescope has an objective of focal length 140 cm and an eye piece of focal length 5.0 cm. The magnifying power of telescope for viewing a distant object is:

- (1) 17
- (2) 32
- (3) 34
- (4) 28

37. Two heaters A and B have power rating of 1 kW and 2 kW, respectively. Those two are first connected in series and then in parallel to a fixed power source. The ratio of power outputs for these two cases is:

- (1) 1:2
- (2) 2:3
- (3) 1:1
- (4) 2:9

38. If the mass of the bob in a simple pendulum is increased to thrice its original mass and its length is made half its original length, then the new time period of oscillation is  $\frac{x}{2}$  times its original time period. Then the value of  $x$  is:

- (1)  $2\sqrt{3}$  (2) 4  
(3)  $\sqrt{3}$  (4)  $\sqrt{2}$


39. A parallel plate capacitor is charged by connecting it to a battery through a resistor. If  $I$  is the current in the circuit, then in the gap between the plates:

- (1) displacement current of magnitude equal to  $I$  flows in a direction opposite to that of  $I$ .  
(2) displacement current of magnitude greater than  $I$  flows but can be in any direction.  
(3) there is no current.  
(4) displacement current of magnitude equal to  $I$  flows in the same direction as  $I$ .

40. A metallic bar of Young's modulus,  $0.5 \times 10^{11} \text{ N m}^{-2}$  and coefficient of linear thermal expansion  $10^{-5} \text{ }^\circ\text{C}^{-1}$ , length 1 m and area of cross-section  $10^{-3} \text{ m}^2$  is heated from  $0^\circ\text{C}$  to  $100^\circ\text{C}$  without expansion or bending. The compressive force developed in it is:

- (1)  $100 \times 10^3 \text{ N}$  (2)  $2 \times 10^3 \text{ N}$   
(3)  $5 \times 10^3 \text{ N}$  (4)  $50 \times 10^3 \text{ N}$


41. The velocity ( $v$ ) - time ( $t$ ) plot of the motion of a body is shown below :



The acceleration ( $a$ )-time ( $t$ ) graph that best suits this motion is:

- (1) (2)   
(3) (4)


42. The following graph represents the  $T$ - $V$  curves of an ideal gas (where  $T$  is the temperature and  $V$  the volume) at three pressures  $P_1, P_2$  and  $P_3$  compared with those of Charles's law represented as dotted lines.



Then the **correct** relation is:





- (1)  $P_2 > P_1 > P_3$  (2)  $P_1 > P_2 > P_3$   
(3)  $P_3 > P_2 > P_1$  (4)  $P_1 > P_3 > P_2$

43. A  $10 \mu\text{F}$  capacitor is connected to a  $210 \text{ V}, 50 \text{ Hz}$  source as shown in figure. The peak current in the circuit is nearly ( $\pi = 3.14$ ) :



- (1) 1.20 A (2) 0.35 A  
(3) 0.58 A (4) 0.93 A

44. Choose the **correct** circuit which can achieve the bridge balance.



45. The property which is **not** of an electromagnetic wave travelling in free space is that:

- (1) they travel with a speed equal to  $\frac{1}{\sqrt{\mu_0 \epsilon_0}}$ .
- (2) they originate from charges moving with uniform speed.
- (3) they are transverse in nature.
- (4) the energy density in electric field is equal to energy density in magnetic field.

46. The minimum energy required to launch a satellite of mass  $m$  from the surface of earth of mass  $M$  and radius  $R$  in a circular orbit at an altitude of  $2R$  from the surface of the earth is:

- (1)  $\frac{GmM}{2R}$
- (2)  $\frac{GmM}{3R}$
- (3)  $\frac{5GmM}{6R}$
- (4)  $\frac{2GmM}{3R}$

47. If the plates of a parallel plate capacitor connected to a battery are moved close to each other, then

- A. the charge stored in it, increases.
- B. the energy stored in it, decreases.
- C. its capacitance increases.
- D. the ratio of charge to its potential remains the same.
- E. the product of charge and voltage increases.

Choose the *most appropriate* answer from the options given below:

- (1) B, D and E only
- (2) A, B and C only
- (3) A, B and E only
- (4) A, C and E only

48. A force defined by  $F = \alpha t^2 + \beta t$  acts on a particle at a given time  $t$ . The factor which is dimensionless, if  $\alpha$  and  $\beta$  are constants, is:

- (1)  $\alpha\beta t$
- (2)  $\alpha\beta / t$
- (3)  $\beta t / \alpha$
- (4)  $\alpha t / \beta$

49. A sheet is placed on a horizontal surface in front of a strong magnetic pole. A force is needed to:

- A. hold the sheet there if it is magnetic.
- B. hold the sheet there if it is non-magnetic.
- C. move the sheet away from the pole with uniform velocity if it is conducting.
- D. move the sheet away from the pole with uniform velocity if it is both, non-conducting and non-polar.

Choose the **correct** statement(s) from the options given below:

- (1) A, C and D only
- (2) C only
- (3) B and D only
- (4) A and C only

50. An iron bar of length  $L$  has magnetic moment  $M$ . It is bent at the middle of its length such that the two arms make an angle  $60^\circ$  with each other. The magnetic moment of this new magnet is:

- (1)  $2M$
- (2)  $\frac{M}{\sqrt{3}}$
- (3)  $M$
- (4)  $\frac{M}{2}$

51. Match **List-I** with **List-II**.

| <b>List-I<br/>(Process)</b> |                    | <b>List-II<br/>(Conditions)</b> |                                     |
|-----------------------------|--------------------|---------------------------------|-------------------------------------|
| (A)                         | Isothermal process | (I)                             | No heat exchange                    |
| (B)                         | Isochoric process  | (II)                            | Carried out at constant temperature |
| (C)                         | Isobaric process   | (III)                           | Carried out at constant volume      |
| (D)                         | Adiabatic process  | (IV)                            | Carried out at constant pressure    |

Choose the **correct** answer from the options given below:

- (1) A-I, B-II, C-III, D-IV
- (2) A-II, B-III, C-IV, D-I
- (3) A-IV, B-III, C-II, D-I
- (4) A-IV, B-II, C-III, D-I

52. Given below are two statements:

**Statement I:** The boiling point of three isomeric pentanes follows the order n-pentane > isopentane > neopentane

**Statement II:** When branching increases, the molecule attains a shape of sphere. This results in smaller surface area for contact, due to which the intermolecular forces between the spherical molecules are weak, thereby lowering the boiling point.

In the light of the above statements, choose the *most appropriate* answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.





53. Match List-I with List-II.

| List-I<br>(Molecule) |                        | List-II<br>(Number and types of bond/s between two carbon atoms) |                                         |
|----------------------|------------------------|------------------------------------------------------------------|-----------------------------------------|
| (A)                  | ethane                 | (I)                                                              | one $\sigma$ -bond and two $\pi$ -bonds |
| (B)                  | ethene                 | (II)                                                             | two $\pi$ -bonds                        |
| (C)                  | carbon molecule, $C_2$ | (III)                                                            | one $\sigma$ -bond                      |
| (D)                  | ethyne                 | (IV)                                                             | one $\sigma$ -bond and one $\pi$ -bond  |

Choose the **correct** answer from the options given below:

- (1) A-III, B-IV, C-II, D-I  
 (2) A-III, B-IV, C-I, D-II  
 (3) A-I, B-IV, C-II, D-III  
 (4) A-IV, B-III, C-II, D-I

54. Which one of the following alcohols reacts instantaneously with Lucas reagent?



55. Match List-I with List-II.

| List-I<br>Quantum Number |       | List-II<br>Information provided |                                 |
|--------------------------|-------|---------------------------------|---------------------------------|
| (A)                      | $m_l$ | (I)                             | shape of orbital                |
| (B)                      | $m_s$ | (II)                            | size of orbital                 |
| (C)                      | $l$   | (III)                           | orientation of orbital          |
| (D)                      | $n$   | (IV)                            | orientation of spin of electron |

Choose the **correct** answer from the options given below:

- (1) A-III, B-IV, C-II, D-I  
 (2) A-II, B-I, C-IV, D-III  
 (3) A-I, B-III, C-II, D-IV  
 (4) A-III, B-IV, C-I, D-II

56. 'Spin only' magnetic moment is same for which of the following ions?

- A.  $Ti^{3+}$                       B.  $Cr^{2+}$   
 C.  $Mn^{2+}$                      D.  $Fe^{2+}$   
 E.  $Sc^{3+}$

Choose the *most appropriate* answer from the options given below:

- (1) B and C only      (2) A and D only  
 (3) B and D only      (4) A and E only

57. On heating, some solid substances change from solid to vapour state without passing through liquid state. The technique used for the purification of such solid substances based on the above principle is known as

- (1) Distillation      (2) Chromatography  
 (3) Crystallization      (4) Sublimation





58. The energy of an electron in the ground state ( $n=1$ ) for  $He^+$  ion is  $-x$  J, then that for an electron in  $n=2$  state for  $Be^{3+}$  ion in J is :

- (1)  $-4x$                       (2)  $-\frac{4}{9}x$   
 (3)  $-x$                       (4)  $-\frac{x}{9}$

59. Activation energy of any chemical reaction can be calculated if one knows the value of

- (1) orientation of reactant molecules during collision.  
 (2) rate constant at two different temperatures.  
 (3) rate constant at standard temperature.  
 (4) probability of collision.

60. Which plot of  $\ln k$  vs  $\frac{1}{T}$  is consistent with Arrhenius equation?



61. Given below are two statements:  
**Statement I:** The boiling point of hydrides of Group 16 elements follow the order  $H_2O > H_2Te > H_2Se > H_2S$ .

**Statement II:** On the basis of molecular mass,  $H_2O$  is expected to have lower boiling point than the other members of the group but due to the presence of extensive H-bonding in  $H_2O$ , it has higher boiling point.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

62. The reagents with which glucose does not react to give the corresponding tests/products are

- A. Tollen's reagent
- B. Schiff's reagent
- C. HCN
- D.  $NH_2OH$
- E.  $NaHSO_3$

Choose the **correct** options from the given below:

- (1) B and E
- (2) E and D
- (3) B and C
- (4) A and D

63. Arrange the following elements in increasing order of first ionization enthalpy:

Li, Be, B, C, N

Choose the **correct** answer from the options given below:

- (1)  $Li < Be < C < B < N$
- (2)  $Li < Be < N < B < C$
- (3)  $Li < Be < B < C < N$
- (4)  $Li < B < Be < C < N$

64. Arrange the following elements in increasing order of electronegativity:

N, O, F, C, Si

Choose the **correct** answer from the options given below:

- (1)  $O < F < N < C < Si$
- (2)  $F < O < N < C < Si$
- (3)  $Si < C < N < O < F$
- (4)  $Si < C < O < N < F$

65. The  $E^\circ$  value for the  $Mn^{3+}/Mn^{2+}$  couple is more positive than that of  $Cr^{3+}/Cr^{2+}$  or  $Fe^{3+}/Fe^{2+}$  due to change of

- (1)  $d^4$  to  $d^5$  configuration
- (2)  $d^3$  to  $d^5$  configuration
- (3)  $d^5$  to  $d^4$  configuration
- (4)  $d^5$  to  $d^2$  configuration

66. Match List-I with List-II.

| List-I<br>(Compound) |         | List-II<br>(Shape/geometry) |                    |
|----------------------|---------|-----------------------------|--------------------|
| (A)                  | $NH_3$  | (I)                         | Trigonal Pyramidal |
| (B)                  | $BrF_5$ | (II)                        | Square Planar      |
| (C)                  | $XeF_4$ | (III)                       | Octahedral         |
| (D)                  | $SF_6$  | (IV)                        | Square Pyramidal   |

Choose the **correct** answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-II, B-III, C-IV, D-I
- (3) A-I, B-IV, C-II, D-III
- (4) A-II, B-IV, C-III, D-I


67. Match List-I with List-II.

| List-I<br>(Complex) |                          | List-II<br>(Type of isomerism) |                        |
|---------------------|--------------------------|--------------------------------|------------------------|
| (A)                 | $[Co(NH_3)_5(NO_2)]Cl_2$ | (I)                            | Solvate isomerism      |
| (B)                 | $[Co(NH_3)_5(SO_4)]Br$   | (II)                           | Linkage isomerism      |
| (C)                 | $[Co(NH_3)_6][Cr(CN)_6]$ | (III)                          | Ionization isomerism   |
| (D)                 | $[Co(H_2O)_6]Cl_3$       | (IV)                           | Coordination isomerism |

Choose the **correct** answer from the options given below:

- (1) A-I, B-IV, C-III, D-II
- (2) A-II, B-IV, C-III, D-I
- (3) A-II, B-III, C-IV, D-I
- (4) A-I, B-III, C-IV, D-II

68. Intramolecular hydrogen bonding is present in



69. Given below are two statements:

**Statement I:** Aniline does not undergo FriedelCrafts alkylation reaction.

**Statement II:** Aniline cannot be prepared through Gabriel synthesis.






In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is correct but Statement II is false.
- (2) Statement I is incorrect but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

70. The highest number of helium atoms is in

- (1) 4 g of helium
- (2) 2.271098 L of helium at STP
- (3) 4 mol of helium
- (4) 4 u of helium



71. Match List-I with List-II.

| List-I<br>(Reaction) |                                                                                   | List-II<br>(Reagents/<br>Condition) |                                                                                                               |
|----------------------|-----------------------------------------------------------------------------------|-------------------------------------|---------------------------------------------------------------------------------------------------------------|
| (A)                  |  | (I)                                 | <br>Anhyd. AlCl <sub>3</sub> |
| (B)                  |  | (II)                                | CrO <sub>3</sub>                                                                                              |
| (C)                  |  | (III)                               | KMnO <sub>4</sub> /<br>KOH, Δ                                                                                 |
| (D)                  |  | (IV)                                | (i) O <sub>3</sub><br>(ii) Zn-H <sub>2</sub> O                                                                |

Choose the **correct** answer from the options given below:





- (1) A-IV, B-I, C-II, D-III
- (2) A-I, B-IV, C-II, D-III
- (3) A-IV, B-I, C-III, D-II
- (4) A-III, B-I, C-II, D-IV

72. Identify the correct reagents that would bring about the following transformation.



- (1) (i) BH<sub>3</sub>  
(ii) H<sub>2</sub>O<sub>2</sub> /  $\text{OH}^-$   
(iii) alk. KMnO<sub>4</sub>  
(iv) H<sub>3</sub>O<sup>+</sup>
- (2) (i) H<sub>2</sub>O / H<sup>+</sup>  
(ii) PCC
- (3) (i) H<sub>2</sub>O / H<sup>+</sup>  
(ii) CrO<sub>3</sub>
- (4) (i) BH<sub>3</sub>  
(ii) H<sub>2</sub>O<sub>2</sub> /  $\text{OH}^-$   
(iii) PCC





73. The compound that will undergo S<sub>N</sub><sup>1</sup> reaction with the fastest rate is

- (1) 
- (2) 
- (3) 
- (4) 

74. Fehling's solution 'A' is:

- (1) alkaline solution of sodium potassium tartrate (Rochelle's salt)
- (2) aqueous sodium citrate
- (3) aqueous copper sulphate
- (4) alkaline copper sulphate

75. The most stable carbocation among the following is:

- (1) 
- (2) 
- (3) 
- (4) 

76. For the reaction  $2A \rightleftharpoons B + C$ ,  $K_c = 4 \times 10^{-3}$ . At a given time, the composition of reaction mixture is:  $[A] = [B] = [C] = 2 \times 10^{-3} \text{ M}$ .

Then, which of the following is **correct**?

- (1) Reaction has a tendency to go in backward direction.
- (2) Reaction has gone to completion in forward direction.
- (3) Reaction is at equilibrium.
- (4) Reaction has a tendency to go in forward direction.

77. The Henry's law constant ( $K_H$ ) values of three gases (A, B, C) in water are  $145, 2 \times 10^{-5}$  and 35 kbar, respectively. The solubility of these gases in water follow the order:

- (1)  $A > C > B$
- (2)  $A > B > C$
- (3)  $B > A > C$
- (4)  $B > C > A$

78. A compound with a molecular formula of  $C_6H_{14}$  has two tertiary carbons. Its IUPAC name is:

- (1) 2,3-dimethylbutane
- (2) 2,2-dimethylbutane
- (3) n-hexane
- (4) 2-methylpentane

79. In which of the following equilibria,  $K_p$  and  $K_c$  are **not** equal?

- (1)  $CO(g) + H_2O(g) \rightleftharpoons CO_2(g) + H_2(g)$
- (2)  $2BrCl(g) \rightleftharpoons Br_2(g) + Cl_2(g)$
- (3)  $PCl_5(g) \rightleftharpoons PCl_3(g) + Cl_2(g)$
- (4)  $H_2(g) + I_2(g) \rightleftharpoons 2HI(g)$

80. Which reaction is **not** a redox reaction?

- (1)  $H_2 + Cl_2 \rightarrow 2HCl$
- (2)  $BaCl_2 + Na_2SO_4 \rightarrow BaSO_4 + 2NaCl$
- (3)  $Zn + CuSO_4 \rightarrow ZnSO_4 + Cu$
- (4)  $2KClO_3 + I_2 \rightarrow 2KIO_3 + Cl_2$

81. Given below are two statements:

**Statement I:** Both  $[Co(NH_3)_6]^{3+}$  and  $[CoF_6]^{3-}$  complexes are octahedral but differ in their magnetic behaviour.

**Statement II:**  $[Co(NH_3)_6]^{3+}$  is diamagnetic whereas  $[CoF_6]^{3-}$  is paramagnetic.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

82. 1 gram of sodium hydroxide was treated with 25 mL of 0.75 M HCl solution, the mass of sodium hydroxide left unreacted is equal to

- (1) Zero mg
- (2) 200 mg
- (3) 750 mg
- (4) 250 mg

83. Among Group 16 elements, which one does **not** show -2 oxidation state?

- (1) Te
- (2) Po
- (3) O
- (4) Se

84. In which of the following processes entropy increases?

- A. A liquid evaporates to vapour.
- B. Temperature of a crystalline solid lowered from 130 K to 0 K.
- C.  $2NaHCO_3(s) \rightarrow Na_2CO_3(s) + CO_2(g) + H_2O(g)$
- D.  $Cl_2(g) \rightarrow 2Cl(g)$

Choose the **correct** answer from the options given below:

- (1) A, C and D
- (2) C and D
- (3) A and C
- (4) A, B and D


85. Match List-I with List-II.

| List-I<br>(Conversion) |                                    | List-II<br>(Number of Faraday required) |     |
|------------------------|------------------------------------|-----------------------------------------|-----|
| (A)                    | 1 mol of $H_2O$ to $O_2$           | (I)                                     | 3 F |
| (B)                    | 1 mol of $MnO_4^-$ to $Mn^{2+}$    | (II)                                    | 2F  |
| (C)                    | 1.5 mol of Ca from molten $CaCl_2$ | (III)                                   | 1F  |
| (D)                    | 1 mol of FeO to $Fe_2O_3$          | (IV)                                    | 5 F |

Choose the **correct** answer from the options given below:

- (1) A-II, B-III, C-I, D-IV
- (2) A-III, B-IV, C-II, D-I
- (3) A-II, B-IV, C-I, D-III
- (4) A-III, B-IV, C-I, D-II

86. Major products A and B formed in the following reaction sequence, are





87. Consider the following reaction in a sealed vessel at equilibrium with concentrations of  $N_2 = 3.0 \times 10^{-3} M$ ,  $O_2 = 4.2 \times 10^{-3} M$  and  $NO = 2.8 \times 10^{-3} M$ .  
 $2NO(g) \rightleftharpoons N_2(g) + O_2(g)$

If  $0.1 \text{ mol L}^{-1}$  of  $NO(g)$  is taken in a closed vessel, what will be degree of dissociation ( $\alpha$ ) of  $NO(g)$  at equilibrium?

- (1) 0.8889 (2) 0.717  
 (3) 0.00889 (4) 0.0889

88. The products A and B obtained in the following reactions, respectively, are



- (1)  $H_3PO_4$  and  $POCl_3$   
 (2)  $H_3PO_3$  and  $POCl_3$   
 (3)  $POCl_3$  and  $H_3PO_3$   
 (4)  $POCl_3$  and  $H_3PO_4$

89. Given below are certain cations. Using inorganic qualitative analysis, arrange them in increasing group number from 0 to VI.

- A.  $Al^{3+}$  B.  $Cu^{2+}$   
 C.  $Ba^{2+}$  D.  $Co^{2+}$   
 E.  $Mg^{2+}$

Choose the **correct** answer from the options given below:

- (1) E, C, D, B, A  
 (2) E, A, B, C, D  
 (3) B, A, D, C, E  
 (4) B, C, A, D, E

90. During the preparation of Mohr's salt solution (Ferrous ammonium sulphate), which of the following acid is added to prevent hydrolysis of  $Fe^{2+}$  ion?


- (1) dilute nitric acid  
 (2) dilute sulphuric acid  
 (3) dilute hydrochloric acid  
 (4) concentrated sulphuric acid

91. The work done during reversible isothermal expansion of one mole of hydrogen gas at  $25^\circ C$  from pressure of 20 atmosphere to 10 atmosphere is:

(Given  $R = 2.0 \text{ cal K}^{-1} \text{ mol}^{-1}$ )

- (1) 413.14 calories  
 (2) 100 calories  
 (3) 0 calorie  
 (4) -413.14 calories

92. For the given reaction:



'P' is


- (1) (2) (3) (4)

93. The plot of osmotic pressure ( $\Pi$ ) vs concentration ( $\text{mol L}^{-1}$ ) for a solution gives a straight line with slope  $25.73 \text{ L}^{-1} \text{ bar mol}^{-1}$ . The temperature at which the osmotic pressure measurement is done is:

(Use  $R = 0.083 \text{ L bar mol}^{-1} \text{ K}^{-1}$ )

- (1)  $25.73^\circ C$  (2)  $12.05^\circ C$   
 (3)  $37^\circ C$  (4)  $310^\circ C$

94. Identify the major product C formed in the following reaction sequence :



- (1) butanamide  
 (2)  $\alpha$ -bromobutanoic acid  
 (3) propylamine  
 (4) butylamine

95. A compound X contains 32% of A, 20% of B and remaining percentage of C. Then, the empirical formula of X is:

(Given atomic masses of  $A = 64; B = 40; C = 32 \text{ u}$ )

- (1)  $AB_2C_2$  (2)  $ABC_4$   
 (3)  $A_2BC_2$  (4)  $ABC_3$

96. The rate of a reaction quadruples when temperature changes from  $27^\circ C$  to  $57^\circ C$ . Calculate the energy of activation.

Given  $R = 8.314 \text{ J K}^{-1} \text{ mol}^{-1}$ ,  $\log 4 = 0.6021$

- (1) 3.80 kJ/mol  
 (2) 3804 kJ/mol  
 (3) 38.04 kJ/mol  
 (4) 380.4 kJ/mol

97. Identify the **correct** answer.
- (1) Dipole moment of  $\text{NF}_3$  is greater than that of  $\text{NH}_3$ .
  - (2) Three canonical forms can be drawn for  $\text{CO}_3^{2-}$  ion.
  - (3) Three resonance structures can be drawn for ozone.
  - (4)  $\text{BF}_3$  has non-zero dipole moment.

98. The pair of lanthanoid ions which are diamagnetic is

- (1)  $\text{Gd}^{3+}$  and  $\text{Eu}^{3+}$
- (2)  $\text{Pm}^{3+}$  and  $\text{Sm}^{3+}$
- (3)  $\text{Ce}^{4+}$  and  $\text{Yb}^{2+}$
- (4)  $\text{Ce}^{3+}$  and  $\text{Eu}^{2+}$

99. Given below are two statements:

**Statement I:**  $[\text{Co}(\text{NH}_3)_6]^{3+}$  is a homoleptic complex whereas  $[\text{Co}(\text{NH}_3)_4\text{Cl}_2]^+$  is a heteroleptic complex.

**Statement II:** Complex  $[\text{Co}(\text{NH}_3)_6]^{3+}$  has only one kind of ligands but  $[\text{Co}(\text{NH}_3)_4\text{Cl}_2]^+$  has more than one kind of ligands.


In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

100. Mass in grams of copper deposited by passing 9.6487 A current through a voltmeter containing copper sulphate solution for 100 seconds is: (Given: Molar mass of  $\text{Cu} : 63 \text{ g mol}^{-1}$ ,  $1 \text{ F} = 96487 \text{ C}$ )

- (1) 31.5 g
- (2) 0.0315 g
- (3) 3.15 g
- (4) 0.315 g

101. In the given figure, which component has thin outer walls and highly thickened inner walls?



- (1) A
- (2) B
- (3) C
- (4) D

102. List of endangered species was released by:

- (1) FOAM
- (2) IUCN
- (3) GEAC
- (4) WWF

103. The type of conservation in which the threatened species are taken out from their natural habitat and placed in special setting where they can be protected and given special care is called;

- (1) Semi-conservative method
- (2) Sustainable development
- (3) *in-situ* conservation
- (4) Biodiversity conservation

104. Which one of the following can be explained on the basis of Mendel's Law of Dominance?

- A. Out of one pair of factors one is dominant and the other is recessive.
- B. Alleles do not show any expression and both the characters appear as such in  $\text{F}_2$  generation.
- C. Factors occur in pairs in normal diploid plants.
- D. The discrete unit controlling a particular character is called factor.
- E. The expression of only one of the parental characters is found in a monohybrid cross.

Choose the **correct** answer from the options given below:

- (1) B, C and D only
- (2) A, B, C, D and E
- (3) A, B and C only
- (4) A, C, D and E only

105. The lactose present in the growth medium of bacteria is transported to the cell by the action of:

- (1) Permease
- (2) Polymerase
- (3) Beta-galactosidase
- (4) Acetylase

106. Match List-I with List-II.

| List-I |                                 | List-II |               |
|--------|---------------------------------|---------|---------------|
| (A)    | <i>Clostridium butylicum</i>    | (I)     | Ethanol       |
| (B)    | <i>Saccharomyces cerevisiae</i> | (II)    | Streptokinase |
| (C)    | <i>Trichoderma polysporum</i>   | (III)   | Butyric acid  |
| (D)    | <i>Streptococcus sp.</i>        | (IV)    | Cyclosporin-A |

Choose the **correct** answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
- (2) A-IV, B-I, C-III, D-II
- (3) A-III, B-I, C-II, D-IV
- (4) A-II, B-IV, C-III, D-I

107. The equation of Verhulst-Pearl logistic growth is

$$\frac{dN}{dt} = rN \left[ \frac{K - N}{K} \right]$$

From this equation, K indicates:

- (1) Carrying capacity
  - (2) Population density
  - (3) Intrinsic rate of natural increase
  - (4) Biotic potential
108. A transcription unit in DNA is defined primarily by the three regions in DNA and these are with respect to upstream and down stream end;
- (1) Inducer, Repressor, Structural gene
  - (2) Promotor, Structural gene, Terminator
  - (3) Repressor, Operator gene, Structural gene
  - (4) Structural gene, Transposons, Operator gene
109. Formation of interfascicular cambium from fully developed parenchyma cells is an example for
- (1) Dedifferentiation
  - (2) Maturation
  - (3) Differentiation
  - (4) Redifferentiation

110. Match List-I with List-II.

| List-I |                 | List-II |             |
|--------|-----------------|---------|-------------|
| (A)    | <i>Rhizopus</i> | (I)     | Mushroom    |
| (B)    | <i>Ustilago</i> | (II)    | Smut fungus |
| (C)    | <i>Puccinia</i> | (III)   | Bread mould |
| (D)    | <i>Agaricus</i> | (IV)    | Rust fungus |

Choose the **correct** answer from the options given below:

- (1) A-III, B-IV, C-II, D-I
  - (2) A-I, B-II, C-III, D-IV
  - (3) A-III, B-II, C-IV, D-I
  - (4) A-II, B-III, C-I, D-IV
111. What is the fate of a piece of DNA carrying only gene of interest which is transferred into an alien organism?
- A. The piece of DNA would be able to multiply itself independently in the progeny cells of the organism.
  - B. It may get integrated into the genome of the recipient.
  - C. It may multiply and be inherited along with the host DNA.
  - D. The alien piece of DNA is not an integral part of chromosome.
  - E. It shows ability to replicate.

Choose the **correct** answer from the options given below:

- (1) B and C only
- (2) A and E only
- (3) A and B only
- (4) D and E only


112. Match List-I with List-II.

| List-I |                 | List-II |                                         |
|--------|-----------------|---------|-----------------------------------------|
| (A)    | Nucleolus       | (I)     | Site of formation of glycolipid         |
| (B)    | Centriole       | (II)    | Organization like the cartwheel         |
| (C)    | Leucoplasts     | (III)   | Site for active ribosomal RNA synthesis |
| (D)    | Golgi apparatus | (IV)    | For storing nutrients                   |

Choose the **correct** answer from the options given below:

- (1) A-III, B-II, C-I, D-IV
- (2) A-IV, B-III, C-II, D-I
- (3) A-III, B-II, C-IV, D-I
- (4) A-I, B-III, C-II, D-IV

113. Identify the type of flowers based on the position of calyx, corolla and androecium with respect to the ovary from the given figures (a) and (b)



- (1) (a) Perigynous; (b) Epigynous
- (2) (a) Perigynous; (b) Perigynous
- (3) (a) Epigynous; (b) Hypogynous
- (4) (a) Hypogynous; (b) Epigynous

114. Spindle fibers attach to kinetochores of chromosomes during

- (1) Anaphase
- (2) Telophase
- (3) Prophase
- (4) Metaphase

115. These are regarded as major causes of biodiversity loss:

- A. Over exploitation
- B. Co-extinction
- C. Mutation
- D. Habitat loss and fragmentation
- E. Migration

Choose the **correct** option:

- (1) A, B and E only
- (2) A, B and D only
- (3) A, C and D only
- (4) A, B, C and D only

116. Lecithin, a small molecular weight organic compound found in living tissues, is an example of:

- (1) Glycerides            (2) Carbohydrates
- (3) Amino acids        (4) Phospholipids

117. Identify the set of **correct** statements:

- A. The flowers of Vallisneria are colourful and produce nectar.
- B. The flowers of waterlily are not pollinated by water.
- C. In most of water-pollinated species, the pollen grains are protected from wetting.
- D. Pollen grains of some hydrophytes are long and ribbon like.
- E. In some hydrophytes, the pollen grains are carried passively inside water.

Choose the **correct** answer from the options given below:

- (1) A, C, D and E only
- (2) B, C, D and E only
- (3) C, D and E only
- (4) A, B, C and D only

118. The cofactor of the enzyme carboxypeptidase is:

- (1) Flavin                (2) Haem
- (3) Zinc                 (4) Niacin

119. Inhibition of Succinic dehydrogenase enzyme by malonate is a classical example of:

- (1) Competitive inhibition
- (2) Enzyme activation
- (3) Cofactor inhibition
- (4) Feedback inhibition

120. Which of the following is an example of actinomorphic flower?

- (1) *Pisum*                (2) *Sesbania*
- (3) *Datura*             (4) *Cassia*

121. Given below are two statements:

**Statement I:** Chromosomes become gradually visible under light microscope during leptotene stage.

**Statement II:** The beginning of diplotene stage is recognized by dissolution of synaptonemal complex.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

122. A pink flowered Snapdragon plant was crossed with a red flowered Snapdragon plant. What type of phenotype/s is/are expected in the progeny?

- (1) Only pink flowered plants
- (2) Red, Pink as well as white flowered plants
- (3) Only red flowered plants
- (4) Red flowered as well as pink flowered plants

123. Given below are two statements:

**Statement I:** Parenchyma is living but collenchyma is dead tissue.

**Statement II:** Gymnosperms lack xylem vessels but presence of xylem vessels is the characteristic of angiosperms.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

124. Given below are two statements:

**Statement I:** Bt toxins are insect group specific and coded by a gene *cry* IAC.

**Statement II:** Bt toxin exists as inactive protoxin in *B. thuringiensis*. However, after ingestion by the insect the inactive protoxin gets converted into active form due to acidic pH of the insect gut.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

125. Which one of the following is **not** a criterion for classification of fungi?

- (1) Mode of spore formation
- (2) Fruiting body
- (3) Morphology of mycelium
- (4) Mode of nutrition

126. The capacity to generate a whole plant from any cell of the plant is called:

- (1) Differentiation
- (2) Somatic hybridization
- (3) Totipotency
- (4) Micropropagation

127. Which of the following are required for the dark reaction of photosynthesis?

- A. Light                      B. Chlorophyll
- C. CO<sub>2</sub>                      D. ATP
- E. NADPH

Choose the **correct** answer from the options given below:


- (1) C, D and E only    (2) D and E only
- (3) A, B and C only    (4) B, C and D only

128. Tropical regions show greatest level of species richness because
- Tropical latitudes have remained relatively undisturbed for millions of years, hence more time was available for species diversification.
  - Tropical environments are more seasonal.
  - More solar energy is available in tropics.
  - Constant environments promote niche specialization.
  - Tropical environments are constant and predictable.

Choose the **correct** answer from the options given below:

- A, B and E only
- A, B and D only
- A, C, D and E only
- A and B only

129. Identify the part of the seed from the given figure which is destined to form root when the seed germinates.



- C
- D
- A
- B

130. How many molecules of ATP and NADPH are required for every molecule of  $\text{CO}_2$  fixed in the Calvin cycle?

- 3 molecules of ATP and 3 molecules of NADPH
- 3 molecules of ATP and 2 molecules of NADPH
- 2 molecules of ATP and 3 molecules of NADPH
- 2 molecules of ATP and 2 molecules of NADPH

131. In a plant, black seed color (BB/Bb) is dominant over white seed color (bb). In order to find out the genotype of the black seed plant, with which of the following genotype will you cross it?

- Bb
- BB/Bb
- BB
- bb

132. Hind II always cuts DNA molecules at a particular point called recognition sequence and it consists of:

- 4 bp
- 10 bp
- 8 bp
- 6 bp

133. Bulliform cells are responsible for

- Increased photosynthesis in monocots.
- Providing large spaces for storage of sugars.
- Inward curling of leaves in monocots.
- Protecting the plant from salt stress.

134. Match List-I with List-II.

| List-I |                                                         | List-II |            |
|--------|---------------------------------------------------------|---------|------------|
| (A)    | Two or more alternative forms of a gene,                | (I)     | Back cross |
| (B)    | Cross of $F_1$ progeny with homozygous recessive parent | (II)    | Ploidy     |
| (C)    | Cross of $F_1$ progeny with any of the parents          | (III)   | Allele     |
| (D)    | Number of chromosome sets in plant                      | (IV)    | Test cross |

Choose the **correct** answer from the options given below:

- A-III, B-IV, C-I, D-II
- A-IV, B-III, C-II, D-I
- A-I, B-II, C-III, D-IV
- A-II, B-I, C-III, D-IV

135. Auxin is used by gardeners to prepare weed-free lawns. But no damage is caused to grass as auxin:

- does not affect mature monocotyledonous plants.
- can help in cell division in grasses, to produce growth.
- promotes apical dominance.
- promotes abscission of mature leaves only.

136. Match List-I with List-II.

| List-I |        | List-II |                       |
|--------|--------|---------|-----------------------|
| (A)    | Rose   | (I)     | Twisted aestivation   |
| (B)    | Pea    | (II)    | Perigynous flower     |
| (C)    | Cotton | (III)   | Drupe                 |
| (D)    | Mango  | (IV)    | Marginal placentation |


Choose the **correct** answer from the options given below:

- A-IV, B-III, C-II, D-I
- A-II, B-III, C-IV, D-I
- A-II, B-IV, C-I, D-III
- A-I, B-II, C-III, D-IV

137. The DNA present in chloroplast is:

- (1) Linear, single stranded
- (2) Circular, single stranded
- (3) Linear, double stranded
- (4) Circular, double stranded

138. Identify the **correct** description about the given figure:



- (1) Cleistogamous flowers showing autogamy.
- (2) Compact inflorescence showing complete autogamy.
- (3) Wind pollinated plant inflorescence showing flowers with well exposed stamens.
- (4) Water pollinated flowers showing stamens with mucilaginous covering.

139. Match **List-I** with **List-II**.

| List-I |                        | List-II |                                                     |
|--------|------------------------|---------|-----------------------------------------------------|
| (A)    | Robert May             | (I)     | Species-Area relationship                           |
| (B)    | Alexander von Humboldt | (II)    | Long term ecosystem experiment using out door plots |
| (C)    | Paul Ehrlich           | (III)   | Global species diversity at about 7 million         |
| (D)    | David Tilman           | (IV)    | Rivet popper hypothesis                             |

Choose the **correct** answer from the options given below:

- (1) A-I, B-III, C-II, D-IV
- (2) A-III, B-IV, C-II, D-I
- (3) A-II, B-III, C-I, D-IV
- (4) A-III, B-I, C-IV, D-II

140. Given below are two statements:

**Statement I:** In  $C_3$  plants, some  $O_2$  binds to RuBisCO, hence  $CO_2$  fixation is decreased.

**Statement II:** In  $C_4$  plants, mesophyll cells show very little photorespiration while bundle sheath cells do not show photorespiration.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

141. Identify the step in tricarboxylic acid cycle, which does **not** involve oxidation of substrate.

- (1) Succinyl-CoA  $\rightarrow$  Succinic acid
- (2) Isocitrate  $\rightarrow$   $\alpha$ -ketoglutaric acid
- (3) Malic acid  $\rightarrow$  Oxaloacetic acid
- (4) Succinic acid  $\rightarrow$  Malic acid

142. Match **List-I** with **List-II**.

| List-I |                           | List-II |                                     |
|--------|---------------------------|---------|-------------------------------------|
| (A)    | Citric acid cycle         | (I)     | Cytoplasm                           |
| (B)    | Glycolysis                | (II)    | Mitochondrial matrix                |
| (C)    | Electron transport system | (III)   | Intermembrane space of mitochondria |
| (D)    | Proton gradient           | (IV)    | Inner mitochondrial membrane        |

Choose the **correct** answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-IV, B-III, C-II, D-I
- (3) A-I, B-II, C-III, D-IV
- (4) A-II, B-I, C-IV, D-III

143. Which of the following are fused in somatic hybridization involving two varieties of plants?

- (1) Protoplasts
- (2) Pollens
- (3) Callus
- (4) Somatic embryos

144. Match **List-I** with **List-II**.

| List-I |          | List-II |                                      |
|--------|----------|---------|--------------------------------------|
| (A)    | GLUT-4   | (I)     | Hormone                              |
| (B)    | Insulin  | (II)    | Enzyme                               |
| (C)    | Trypsin  | (III)   | Intercellular ground substance       |
| (D)    | Collagen | (IV)    | Enables glucose transport into cells |

Choose the **correct** answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
- (2) A-III, B-IV, C-I, D-II
- (3) A-IV, B-I, C-II, D-III
- (4) A-I, B-II, C-III, D-IV

145. Match **List-I** with **List-II**.

| List-I<br>(Types of Stamens) |               | List-II<br>(Example) |            |
|------------------------------|---------------|----------------------|------------|
| (A)                          | Monadelphous  | (I)                  | Citrus     |
| (B)                          | Diadelphous   | (II)                 | Pea        |
| (C)                          | Polyadelphous | (III)                | Lily       |
| (D)                          | Epiphyllous   | (IV)                 | China-rose |

Choose the **correct** answer from the options given below:

- (1) A-I, B-II, C-IV, D-III
- (2) A-III, B-I, C-IV, D-II
- (3) A-IV, B-II, C-I, D-III
- (4) A-IV, B-I, C-II, D-III

146. Read the following statements and choose the set of correct statements:

In the members of Phaeophyceae,

- Asexual reproduction occurs usually by biflagellate zoospores.
- Sexual reproduction is by oogamous method only.
- Stored food is in the form of carbohydrates which is either mannitol or laminarin.
- The major pigments found are chlorophyll a, c and carotenoids and xanthophyll.
- Vegetative cells have a cellulosic wall, usually covered on the outside by gelatinous coating of algin.

Choose the **correct** answer from the options given below:

- A, C, D and E only
- A, B, C and E only
- A, B, C and D only
- B, C, D and E only

147. Match List-I with List-II.

| List-I |                                | List-II |                                           |
|--------|--------------------------------|---------|-------------------------------------------|
| (A)    | Frederick Griffith             | (I)     | Genetic code                              |
| (B)    | Francois Jacob & Jacques Monod | (II)    | Semi-conservative mode of DNA replication |
| (C)    | Har Gobind Khorana             | (III)   | Transformation                            |
| (D)    | Meselson & Stahl               | (IV)    | Lac operon                                |

Choose the **correct** answer from the options given below:

- A-II, B-III, C-IV, D-I
- A-IV, B-I, C-II, D-III
- A-III, B-II, C-I, D-IV
- A-III, B-IV, C-I, D-II

148. Which of the following statement is **correct** regarding the process of replication in *E.coli*?

- The DNA dependent DNA polymerase catalyses polymerization in  $5' \rightarrow 3'$  as well as  $3' \rightarrow 5'$  direction.
- The DNA dependent DNA polymerase catalyses polymerization in  $5' \rightarrow 3'$  direction.
- The DNA dependent DNA polymerase catalyses polymerization in one direction that is  $3' \rightarrow 5'$ .
- The DNA dependent RNA polymerase catalyses polymerization in one direction, that is  $5' \rightarrow 3'$ .

149. Spraying sugarcane crop with which of the following plant growth regulators, increases the length of stem, thus, increasing the yield?

- Cytokinin
- Abscisic acid
- Auxin
- Gibberellin

150. In an ecosystem if the Net Primary Productivity (NPP) of first trophic level is

$100x \text{ (kcalm}^{-2}) \text{ yr}^{-1}$ , what would be the GPP (Gross Primary Productivity) of the third trophic level of the same ecosystem?

- $10x \text{ (kcalm}^{-2}) \text{ yr}^{-1}$
- $\frac{100x}{3x} \text{ (kcalm}^{-2}) \text{ yr}^{-1}$
- $\frac{x}{10} \text{ (kcalm}^{-2}) \text{ yr}^{-1}$
- $x \text{ (kcalm}^{-2}) \text{ yr}^{-1}$

151. Match List-I with List-II.

| List-I |                        | List-II |                             |
|--------|------------------------|---------|-----------------------------|
| (A)    | Down's syndrome        | (I)     | 11 <sup>th</sup> chromosome |
| (B)    | $\alpha$ - Thalassemia | (II)    | 'X' chromosome              |
| (C)    | $\beta$ - Thalassemia  | (III)   | 21 <sup>st</sup> chromosome |
| (D)    | Klinefelter's syndrome | (IV)    | 16 <sup>th</sup> chromosome |

Choose the **correct** answer from the options given below:

- A-III, B-IV, C-I, D-II
- A-IV, B-I, C-II, D-III
- A-I, B-II, C-III, D-IV
- A-II, B-III, C-IV, D-I

152. Match List-I with List-II.

| List-I<br>(Sub Phases of Prophase I) |            | List-II<br>(Specific characters) |                                            |
|--------------------------------------|------------|----------------------------------|--------------------------------------------|
| (A)                                  | Diakinesis | (I)                              | Synaptonemal complex formation             |
| (B)                                  | Pachytene  | (II)                             | Completion of terminalisation of chiasmata |
| (C)                                  | Zygotene   | (III)                            | Chromosomes look like thin threads         |
| (D)                                  | Leptotene  | (IV)                             | Appearance of recombination nodules        |

Choose the **correct** answer from the options given below:

- A-II, B-IV, C-I, D-III
- A-IV, B-III, C-II, D-I
- A-IV, B-II, C-III, D-I
- A-I, B-II, C-IV, D-III

153. Which of the following factors are favourable for the formation of oxyhaemoglobin in alveoli?

- (1) Low  $p\text{CO}_2$  and High  $\text{H}^+$  concentration
- (2) Low  $p\text{CO}_2$  and High temperature
- (3) High  $p\text{O}_2$  and High  $p\text{CO}_2$
- (4) High  $p\text{O}_2$  and Lesser  $\text{H}^+$  concentration

154. Match List-I with List-II.

| List-I |               | List-II |          |
|--------|---------------|---------|----------|
| (A)    | Typhoid       | (I)     | Fungus   |
| (B)    | Leishmaniasis | (II)    | Nematode |
| (C)    | Ringworm      | (III)   | Protozoa |
| (D)    | Filariasis    | (IV)    | Bacteria |

Choose the **correct** answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
- (2) A-II, B-IV, C-III, D-I
- (3) A-I, B-III, C-II, D-IV
- (4) A-IV, B-III, C-I, D-II

155. Match List-I with List-II.

| List-I |                              | List-II |                                                                       |
|--------|------------------------------|---------|-----------------------------------------------------------------------|
| (A)    | Expiratory capacity          | (I)     | Expiratory reserve volume + Tidal volume + Inspiratory reserve volume |
| (B)    | Functional residual capacity | (II)    | Tidal volume + Expiratory reserve volume                              |
| (C)    | Vital capacity               | (III)   | Tidal volume + Inspiratory reserve volume                             |
| (D)    | Inspiratory capacity         | (IV)    | Expiratory reserve volume + Residual volume                           |

Choose the **correct** answer from the options given below:

- (1) A-II, B-I, C-IV, D-III
- (2) A-I, B-III, C-II, D-IV
- (3) A-II, B-IV, C-I, D-III
- (4) A-III, B-II, C-IV, D-I

156. Which of the following are Autoimmune disorders?

- A. Myasthenia gravis
- B. Rheumatoid arthritis
- C. Gout
- D. Muscular dystrophy
- E. Systemic Lupus Erythematosus (SLE)

Choose the **most appropriate** answer from the options given below:

- (1) B, C & E only
- (2) C, D & E only
- (3) A, B & D only
- (4) A, B & E only

157. Given below are two statements:

**Statement I:** In the nephron, the descending limb of loop of Henle is impermeable to water and permeable to electrolytes.

**Statement II:** The proximal convoluted tubule is lined by simple columnar brush border epithelium and increases the surface area for reabsorption.

In the light of the above statements, choose the correct answer from the options given below :

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

158. Which of the following is **not** a steroid hormone?

- (1) Progesterone
- (2) Glucagon
- (3) Cortisol
- (4) Testosterone

159. Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R:

**Assertion A:** FSH acts upon ovarian follicles in female and Leydig cells in male.

**Reason R:** Growing ovarian follicles secrete estrogen in female while interstitial cells secrete androgen in male human being.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true but R is NOT the correct explanation of A.


160. Given below are some stages of human evolution. Arrange them in **correct** sequence. (Past to Recent)

- A. *Homo habilis*
- B. *Homo sapiens*
- C. *Homo neanderthalensis*
- D. *Homo erectus*

Choose the **correct** sequence of human evolution from the options given below:

- (1) C-B-D-A
- (2) A-D-C-B
- (3) D-A-C-B
- (4) B-A-D-C

161. Three types of muscles are given as a, b and c. Identify the correct matching pair along with their location in human body:



**Name of muscle/location**

- (1) (a) Skeletal - Biceps  
(b) Involuntary - Intestine  
(c) Smooth - Heart.
- (2) (a) Involuntary - Nose tip  
(b) Skeletal - Bone  
(c) Cardiac - Heart.
- (3) (a) Smooth - Toes  
(b) Skeletal-Legs  
(c) Cardiac - Heart.
- (4) (a) Skeletal - Triceps  
(b) Smooth - Stomach  
(c) Cardiac - Heart.

162. Match List-I with List-II.

| List-I |           | List-II |                               |
|--------|-----------|---------|-------------------------------|
| (A)    | Cocaine   | (I)     | Effective sedative in surgery |
| (B)    | Heroin    | (II)    | <i>Cannabis sativa</i>        |
| (C)    | Morphine  | (III)   | <i>Erythroxylum</i>           |
| (D)    | Marijuana | (IV)    | <i>Papaver somniferum</i>     |

Choose the **correct** answer from the options given below:

- (1) A-II, B-I, C-III, D-IV
- (2) A-III, B-IV, C-I, D-II
- (3) A-IV, B-III, C-I, D-II
- (4) A-I, B-III, C-II, D-IV

163. The "Ti plasmid" of *Agrobacterium tumefaciens* stands for

- (1) Tumor inducing plasmid
- (2) Temperature independent plasmid
- (3) Tumour inhibiting plasmid
- (4) Tumor independent plasmid

164. Which one is the **correct** product of DNA dependent RNA polymerase to the given template?

3' TACATGGCAAATATCCATTCA5 '

- (1) 5 'AUGUACCGUUUAUAGGGAAGU3'
- (2) 5 'ATGTACCGTTTATAGGTAAGT3'
- (3) 5 'AUGUACCGUUUAUAGGUAAGU3'
- (4) 5 'AUGUAAAGUUUAUAGGUAAGU3'

165. Match List-I with List-II.

| List-I |                     | List-II |             |
|--------|---------------------|---------|-------------|
| (A)    | <i>Pterophyllum</i> | (I)     | Hag fish    |
| (B)    | <i>Myxine</i>       | (II)    | Saw fish    |
| (C)    | <i>Pristis</i>      | (III)   | Angel fish  |
| (D)    | <i>Exocoetus</i>    | (IV)    | Flying fish |

Choose the **correct** answer from the options given below:

- (1) A-IV, B-I, C-II, D-III
- (2) A-III, B-II, C-I, D-IV
- (3) A-II, B-I, C-III, D-IV
- (4) A-III, B-I, C-II, D-IV

166. Match List-I with List-II.

| List-I |                        | List-II |                                                  |
|--------|------------------------|---------|--------------------------------------------------|
| (A)    | Fibrous joints         | (I)     | Adjacent vertebrae, limited movement             |
| (B)    | Cartilaginous joints   | (II)    | Humerus and Pectoral girdle, rotational movement |
| (C)    | Hinge joints           | (III)   | Skull, don't allow any movement                  |
| (D)    | Ball and socket joints | (IV)    | Knee, help in locomotion                         |

Choose the **correct** answer from the options given below:

- (1) A-II, B-III, C-I, D-IV
- (2) A-III, B-I, C-IV, D-II
- (3) A-IV, B-II, C-III, D-I
- (4) A-I, B-III, C-II, D-IV

167. The flippers of the Penguins and Dolphins are the example of the

- (1) Convergent evolution
- (2) Divergent evolution
- (3) Adaptive radiation
- (4) Natural selection

168. Match List-I with List-II.

| List-I |                            | List-II |                 |
|--------|----------------------------|---------|-----------------|
| (A)    | $\alpha$ -1 antitrypsin    | (I)     | Cotton bollworm |
| (B)    | Cry IAb                    | (II)    | ADA deficiency  |
| (C)    | Cry IAc                    | (III)   | Emphysema       |
| (D)    | Enzyme replacement therapy | (IV)    | Corn borer      |

Choose the **correct** answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-II, B-IV, C-I, D-III
- (3) A-II, B-I, C-IV, D-III
- (4) A-III, B-I, C-II, D-IV

**169. Match List-I with List-II.**

| List-I |                   | List-II |                    |
|--------|-------------------|---------|--------------------|
| (A)    | Axoneme           | (I)     | Centriole          |
| (B)    | Cartwheel pattern | (II)    | Cilia and flagella |
| (C)    | Crista            | (III)   | Chromosome         |
| (D)    | Satellite         | (IV)    | Mitochondria       |

Choose the **correct** answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (2) A-II, B-I, C-IV, D-III
- (3) A-IV, B-III, C-II, D-I
- (4) A-IV, B-II, C-III, D-I

**170.** Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R:  
**Assertion A:** Breast-feeding during initial period of infant growth is recommended by doctors for bringing a healthy baby.

**Reason R:** Colostrum contains several antibodies absolutely essential to develop resistance for the new born baby.

In the light of the above statements, choose the *most appropriate* answer from the options given below:

- (1) A is correct but R is not correct.
- (2) A is not correct but R is correct.
- (3) Both A and R are correct and R is the correct explanation of A.
- (4) Both A and R are correct but R is NOT the correct explanation of A.

**171.** Which of the following is **not** a component of Fallopian tube?

- (1) Infundibulum
- (2) Ampulla
- (3) Uterine fundus
- (4) Isthmus

**172.** Which of the following statements is **incorrect**?

- (1) Bio-reactors are used to produce small scale bacterial cultures.
- (2) Bio-reactors have an agitator system, an oxygen delivery system and foam control system.
- (3) A bio-reactor provides optimal growth conditions for achieving the desired product.
- (4) Most commonly used bio-reactors are of stirring type.

**173. Match List-I with List-II.**

| List-I |              | List-II |                                                                       |
|--------|--------------|---------|-----------------------------------------------------------------------|
| (A)    | Pons         | (I)     | Provides additional space for Neurons, regulates posture and balance. |
| (B)    | Hypothalamus | (II)    | Controls respiration and gastric secretions.                          |
| (C)    | Medulla      | (III)   | Connects different regions of the brain.                              |
| (D)    | Cerebellum   | (IV)    | Neuro secretory cells                                                 |

Choose the **correct** answer from the options given below:

- (1) A-I, B-III, C-II, D-IV
- (2) A-II, B-I, C-III, D-IV
- (3) A-II, B-III, C-I, D-IV
- (4) A-III, B-IV, C-II, D-I

**174. Match List-I with List-II.**

| List-I |          | List-II |                     |
|--------|----------|---------|---------------------|
| (A)    | Lipase   | (I)     | Peptide bond        |
| (B)    | Nuclease | (II)    | Ester bond          |
| (C)    | Protease | (III)   | Glycosidic bond     |
| (D)    | Amylase  | (IV)    | Phosphodiester bond |

Choose the **correct** answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (2) A-IV, B-I, C-III, D-II
- (3) A-IV, B-II, C-III, D-I
- (4) A-III, B-II, C-I, D-IV

**175.** Which of the following is **not** a natural/traditional contraceptive method?

- (1) Lactational amenorrhea
- (2) Vaults
- (3) Coitus interruptus
- (4) Periodic abstinence

**176.** Following are the stages of pathway for conduction of an action potential through the heart:

- |              |                    |
|--------------|--------------------|
| A. AV bundle | B. Purkinje fibres |
| C. AV node   | D. Bundle branches |
| E. SA node   |                    |

Choose the **correct** sequence of pathway from the options given below:

- (1) B-D-E-C-A
- (2) E-A-D-B-C
- (3) E-C-A-D-B
- (4) A-E-C-B-D

177. Match List-I with List-II.

| List-I |               | List-II |              |
|--------|---------------|---------|--------------|
| (A)    | Pleurobrachia | (I)     | Mollusca     |
| (B)    | Radula        | (II)    | Ctenophora   |
| (C)    | Stomochord    | (III)   | Osteichthyes |
| (D)    | Air bladder   | (IV)    | Hemichordata |

Choose the **correct** answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (2) A-IV, B-III, C-II, D-I
- (3) A-IV, B-II, C-III, D-I
- (4) A-II, B-I, C-IV, D-III

178. Match List-I with List-II.

| List-I |             | List-II |                   |
|--------|-------------|---------|-------------------|
| (A)    | Common cold | (I)     | <i>Plasmodium</i> |
| (B)    | Haemozoin   | (II)    | Typhoid           |
| (C)    | Widal test  | (III)   | Rhinoviruses      |
| (D)    | Allergy     | (IV)    | Dust mites        |

Choose the **correct** answer from the options given below:

- (1) A-III, B-I, C-II, D-IV
- (2) A-IV, B-II, C-III, D-I
- (3) A-II, B-IV, C-III, D-I
- (4) A-I, B-III, C-II, D-IV

179. Consider the following statements:

- A. Annelids are true coelomates
- B. Poriferans are pseudocoelomates
- C. Aschelminthes are acoelomates
- D. Platyhelminthes are pseudocoelomates

Choose the **correct** answer from the options given below:

- (1) C only
- (2) D only
- (3) B only
- (4) A only

180. In both sexes of cockroach, a pair of jointed filamentous structures called anal cerci are present on:

- (1) 8<sup>th</sup> and 9<sup>th</sup> segment
- (2) 11<sup>th</sup> segment
- (3) 5<sup>th</sup> segment
- (4) 10<sup>th</sup> segment

181. Given below are two statements:

**Statement I:** The presence or absence of hymen is not a reliable indicator of virginity.

**Statement II:** The hymen is torn during the first coitus only.


In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

182. Which one of the following factors will **not** affect the Hardy-Weinberg equilibrium?

- (1) Gene migration
- (2) Constant gene pool
- (3) Genetic recombination
- (4) Genetic drift

183. The following diagram showing restriction sites in *E. coli* cloning vector pBR322. Find the role of 'X' and 'Y' genes :



- (1) The gene 'X' is for protein involved in replication of Plasmid and 'Y' for resistance to antibiotics.
- (2) Gene 'X' is responsible for recognition sites and 'Y' is responsible for antibiotic resistance.
- (3) The gene 'X' is responsible for resistance to antibiotics and 'Y' for protein involved in the replication of Plasmid.
- (4) The gene 'X' is responsible for controlling the copy number of the linked DNA and 'Y' for protein involved in the replication of Plasmid.

184. Match List-I with List-II.

| List-I |                       | List-II |               |
|--------|-----------------------|---------|---------------|
| (A)    | Non-medicated IUD     | (I)     | Multiload 375 |
| (B)    | Copper releasing IUD  | (II)    | Progestogens  |
| (C)    | Hormone releasing IUD | (III)   | Lippes loop   |
| (D)    | Implants              | (IV)    | LNG-20        |

Choose the **correct** answer from the options given below:

- (1) A-IV, B-I, C-II, D-III
- (2) A-III, B-I, C-IV, D-II
- (3) A-III, B-I, C-II, D-IV
- (4) A-I, B-III, C-IV, D-II

**185.** Following are the stages of cell division:

- A. Gap 2 phase
- B. Cytokinesis
- C. Synthesis phase
- D. Karyokinesis
- E. Gap 1 phase

Choose the **correct** sequence of stages from the options given below:

- (1) B-D-E-A-C
- (2) E-C-A-D-B
- (3) C-E-D-A-B
- (4) E-B-D-A-C

**186.** Choose the **correct** statement given below regarding juxta medullary nephron.

- (1) Loop of Henle of juxta medullary nephron runs deep into medulla.
- (2) Juxta medullary nephrons outnumber the cortical nephrons.
- (3) Juxta medullary nephrons are located in the columns of Bertini.
- (4) Renal corpuscle of juxta medullary nephron lies in the outer portion of the renal medulla.

**187.** The following are the statements about non-chordates:

- A. Pharynx is perforated by gill slits.
- B. Notochord is absent.
- C. Central nervous system is dorsal.
- D. Heart is dorsal if present.
- E. Post anal tail is absent.

Choose the *most appropriate* answer from the options given below:

- (1) B, D & E only
- (2) B, C & D only
- (3) A & C only
- (4) A, B & D only

**188.** Given below are two statements:

**Statement I:** Mitochondria and chloroplasts are both double membrane bound organelles.

**Statement II:** Inner membrane of mitochondria is relatively less permeable, as compared to chloroplast.

In the light of the above statements, choose the *most appropriate* answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.

**189.** Regarding catalytic cycle of an enzyme action, select the correct sequential steps:

- A. Substrate enzyme complex formation.
- B. Free enzyme ready to bind with another substrate.
- C. Release of products.
- D. Chemical bonds of the substrate broken.
- E. Substrate binding to active site.

Choose the **correct** answer from the options given below:

- (1) B, A, C, D, E
- (2) E, D, C, B, A
- (3) E, A, D, C, B
- (4) A, E, B, D, C

**190.** Match **List-I** with **List-II**.

| List-I |             | List-II |                                       |
|--------|-------------|---------|---------------------------------------|
| (A)    | P wave      | (I)     | Heart muscles are electrically silent |
| (B)    | QRS complex | (II)    | Depolarisation of ventricles.         |
| (C)    | T wave      | (III)   | Depolarisation of atria               |
| (D)    | T-P gap     | (IV)    | Repolarisation of ventricles          |

Choose the **correct** answer from the options given below:

- (1) A-II, B-III, C-I, D-IV
- (2) A-IV, B-II, C-I, D-III
- (3) A-I, B-III, C-IV, D-II
- (4) A-III, B-II, C-IV, D-I

**191.** Given below are two statements:

**Statement I:** Bone marrow is the main lymphoid organ where all blood cells including lymphocytes are produced.

**Statement II:** Both bone marrow and thymus provide micro environments for the development and maturation of T-lymphocytes.

In the light of the above statements, choose the *most appropriate* answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.

**192. Match List-I with List-II.**

| List-I |                                    | List-II |                                  |
|--------|------------------------------------|---------|----------------------------------|
| (A)    | Unicellular glandular epithelium   | (I)     | Salivary glands                  |
| (B)    | Compound epithelium                | (II)    | Pancreas                         |
| (C)    | Multicellular glandular epithelium | (III)   | Goblet cells of alimentary canal |
| (D)    | Endocrine glandular epithelium     | (IV)    | Moist surface of buccal cavity   |

Choose the **correct** answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-II, B-I, C-IV, D-III
- (3) A-II, B-I, C-III, D-IV
- (4) A-IV, B-III, C-I, D-II

**193. Given below are two statements:**

**Statement I:** The cerebral hemispheres are connected by nerve tract known as corpus callosum.

**Statement II:** The brain stem consists of the medulla oblongata, pons and cerebrum.

In the light of the above statements, choose the *most appropriate* answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.

**194. Match List-I with List-II.**

| List-I |                              | List-II |              |
|--------|------------------------------|---------|--------------|
| (A)    | RNA polymerase III           | (I)     | snRNPs       |
| (B)    | Termination of transcription | (II)    | Promotor     |
| (C)    | Splicing of Exons            | (III)   | Rho factor   |
| (D)    | TATA box                     | (IV)    | SnRNAs, tRNA |

Choose the **correct** answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-IV, B-III, C-I, D-II
- (3) A-II, B-IV, C-I, D-III
- (4) A-III, B-II, C-IV, D-I

**195. Match List-I with List-II.**

| List-I |                 | List-II |                     |
|--------|-----------------|---------|---------------------|
| (A)    | Mesozoic Era    | (I)     | Lower invertebrates |
| (B)    | Proterozoic Era | (II)    | Fish & Amphibia     |
| (C)    | Cenozoic Era    | (III)   | Birds & Reptiles    |
| (D)    | Paleozoic Era   | (IV)    | Mammals             |

Choose the **correct** answer from the options given below:

- (1) A-I, B-II, C-IV, D-III
- (2) A-III, B-I, C-IV, D-II
- (3) A-II, B-I, C-III, D-IV
- (4) A-III, B-I, C-II, D-IV

**196. Given below are two statements:**

**Statement I:** Gause's competitive exclusion principle states that two closely related species competing for different resources cannot exist indefinitely.

**Statement II:** According to Gause's principle, during competition, the inferior will be eliminated. This may be true if resources are limiting.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.


**197. Match List-I with List-II.**

| List-I |                     | List-II |                                                            |
|--------|---------------------|---------|------------------------------------------------------------|
| (A)    | Exophthalmic goiter | (I)     | Excess secretion of cortisol, moon face & hyperglycemia    |
| (B)    | Acromegaly          | (II)    | Hypo-secretion of thyroid hormone and stunted growth.      |
| (C)    | Cushing's syndrome  | (III)   | Hyper secretion of thyroid hormone & protruding eye balls. |
| (D)    | Cretinism           | (IV)    | Excessive secretion of growth hormone.                     |

Choose the **correct** answer from the options given below:

- (1) A-III, B-IV, C-II, D-I
- (2) A-III, B-IV, C-I, D-II
- (3) A-I, B-III, C-II, D-IV
- (4) A-IV, B-II, C-I, D-III

198. Identify the **correct** option (A), (B), (C), (D) with respect to spermatogenesis.



199. As per ABO blood grouping system, the blood group of father is  $B^+$ , mother is  $A^+$  and child is  $O^+$ . Their respective genotype can be

- $I^B i / I^A i / ii$
- $I^B I^B / I^A I^A / ii$
- $I^A I^B / ii^A / I^B i$
- $I^A i / I^B i / I^A i$
- $ii^B / ii^A / I^A I^B$

Choose the *most appropriate* answer from the options given below:

- (1) C & B only
- (2) D & E only
- (3) A only
- (4) B only

200. Match **List-I** with **List-II**.

| List-I |                                                                                     | List-II |                    |
|--------|-------------------------------------------------------------------------------------|---------|--------------------|
| (A)    | The structures used for storing of food.                                            | (I)     | Gizzard            |
| (B)    | Ring of 6-8 blind tubules at junction of foregut and midgut.                        | (II)    | Gastric Caeca      |
| (C)    | Ring of 100 – 150 yellow coloured thin filaments at junction of midgut and hindgut. | (III)   | Malpighian tubules |
| (D)    | The structures used for grinding the food.                                          | (IV)    | Crop               |

Choose the **correct** answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-III, B-II, C-IV, D-I
- (3) A-IV, B-II, C-III, D-I
- (4) A-I, B-II, C-III, D-IV